(19) World Intellectual Property Organization

International Bureau



(43) International Publication Date 22 January 2004 (22.01.2004)

PCT

(10) International Publication Number WO 2004/007476 A1

(74) Agents: BOETERS, Hans et al.; Boeters & Lieck, Bere-

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,

CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,

GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,

MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ,

iteranger 15, 81541 München (DE).

(51) International Patent Classification⁷: C07D 313/00, 327/02, 417/06, 497/04, 493/04, A61K 31/425, A61P 35/00

(21) International Application Number:

PCT/EP2003/006066

(22) International Filing Date: 10 June 2003 (10.06.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 102 32 094.2

15 July 2002 (15.07.2002) DE

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant (for all designated States except US): GESELLSCHAFT FUER BIOTECHNOLOGISCHE FORSCHUNG MBH (GBF) [DE/DE]; Mascheroder Weg 1, 38124 Braunschweig (DE).

(72) Inventor; and

(75) Inventor/Applicant (for US only): HOEFLE, Gerhard [DE/DE]; Alter Weg 12a, 38124 Braunschweig (DE).


Published:

with international search report

VC, VN, YU, ZA, ZM, ZW.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: GESELLSCHAFT FÜR BIOTECHNOLOGISCHE FORSCHUNG MBH (GBF)



(57) Abstract: The invention relates to 5-thiapethilones and 15-disubstituted epothilones according to formula I (I) with the following meanings: X = >C = O or >S = O $R^1 = C_{1.6}$ alkyl or $C_{2.6}$ alkenyl $R^2 = H$ or $C_{1.6}$ alkyl Y - Z = >C = C or >C - Q - C < (epoxide ring) $R^3 = H$, $C_{1.6}$ alkyl or $C_{2.6}$ alkenyl $R^4 =$ bicycloaryl, bicycloheteroaryl or $-C(R^5) = CH - R^6$, where $R^5 = H$ or CH_3 and $R^6 =$ aryl or heteroaryl X not being >C = O if $R^3 = H$.

/007476 A1

WO 2004/007476 PCT/EP2003/006066

Gesellschaft für Biotechnologische Forschung mbH (GBF)

5-THIAEPOTHILONES AND 15-DISUBSTITUTED EPOTHILONES

The present invention relates to 5-thiaepothilones and 15-disubstituted epothilones which are 16-membered cytotoxic macrolides of formula I with an application potential in cancer therapy and in the treatment of other instances of cell growth impairment.

Epothilones are well known. They can be obtained by fermenting the myxobacterium Sorangium cellulosum (GBF) by semisynthesis (GBF, BMS) by genetic engineering and heterologous expression (Kosan Biosciences), by total synthesis (Danishefsky, Nicolaou, Schinzer, Novartis, Schering).

All the epothilones which have become known so far have the common characteristic of carrying a keto group (X = carbonyl) in position 5 and a hydrogen ($R^3 = H$) on the C15 atom. The present invention relates to epothilones which, in contrast to the known state of the art, exhibit either

- (1) a sulphoxide group for X or
- (2) an alkyl or alkenyl group by way of \mathbb{R}^3 on the C15 carbon atom or
- (3) both a sulphoxide group X and an alkyl or alkenyl group as radical R^3 .

The invention also relates to epothilones of the following general formula I:

with the following meanings:

X = >C = 0 or >S = 0

 $R^1 = C_{1-6}$ alkyl or C_{2-6} alkenyl

 $R^2 = H \text{ or } C_{1-6} \text{ alkyl}$

Y - Z = >C=C < or >C-O-C < (epoxide ring)

 $R^3 = H$, C_{1-6} alkyl or C_{2-6} alkenyl

 R^4 = bicycloaryl, bicycloheteroaryl or $-C(R^5)$ = CH- R^6 ,

where

 $R^5 = H$ or CH_3 and $R^6 = aryl$ or heteroaryl

X not being >C=0 if $R^3 = H$.

A compound of the general formula I with Z-Y = >C=C< can be produced from a compound of formula 1 by aldol reaction with a compound of formula 2. In the following reaction scheme, P represents a protective group common in epothilone chemistry, such as a silyl group. Subsequently, the compound of formula 3 thus obtained is reacted, with ring closure (formation of lactone), to a compound of formula 4.

A compound of the general formula I with Y-Z = >C-O-C< (epoxide ring) can be produced by reacting a compound of formula 5 with a compound of formula 6 in an aldol

reaction. The resulting compound of formula 7 can be cyclised after liberating the aldehyde group from the acetal in an aldol reaction, whereupon the lactone thus obtained is subjected to epoxidation in position 12,13.

$$R^{2}$$
 R^{2}
 R^{2}
 R^{3}
 R^{4}
 R^{2}
 R^{4}
 R^{2}
 R^{4}
 R^{2}
 R^{4}
 R^{4}

Below, the invention is further illustrated by two synthesis examples.

Synthesis example Ia: X = SO, R^1 , $R^2 = CH_3$,

$$Z - Y = C = C$$
, $R^3 = H$, $R^4 = R^5$

with $R^5 = CH_3$, $R^6 = 4-(2-methylthiazolyl)$

P = protective groups, e.g. silyl

Synthesis example Ib: X = C = O, R^1 , $R^2 = CH_3$, $Z - Y = R^3 = CO_3$, $R^4 = R^3 = CO_3$

- 1. Cerium-ammonium
- 2.+ BnLi
- 3. Dimethyl dioxirane

= 15-Methyl epothilone B

CLAIMS

1. Epothilone of the general formula (I):

with the following meanings:

X = >C = O or >S = O and/or

 $R^1 = C_{1-6}$ alkyl or C_{2-6} alkenyl and/or

 $R^2 = H \text{ or } C_{1-6} \text{ alkyl and/or}$

Y - Z = >C=C < or >C-O-C < (epoxide ring) and/or

 $R^3 = H$, C_{1-6} alkyl or C_{2-6} alkenyl and/or

 R^4 = bicycloaryl, bicycloheteroaryl or $-C(R^5)$ = $CH-R^6$,

where

 $R^5 = H \text{ or } CH_3 \text{ and}$

 $R^6 = aryl or heteroaryl,$

X not being >C=0 if $R^3 = H$,

and one, a plurality or all conceivable combinations of the radicals X, R^1 , R^2 , R^3 , R^4 , R^5 , R^6 and Y - Z

- 2. Epothilone according to claim 1, where \mathbb{R}^4 is a bicycloaryl or bicycloheteroaryl radical common in epothilone chemistry.
- 3. Epothilone according to claim 1, where R^6 is an aryl or heteroaryl radical common in epothilone chemistry.

· - 9 - ·

- 4. Epothilone according to claim 3, where the heteroaryl radical is a monocyclic 5 or 6-membered heteroaromatic which may exhibit one or a plurality of O and/or N and/or S atoms in the ring.
- 5. Epothilone according to claim 3, where the aryl radical may be a heteroaromatic with one or a plurality of and in particular 1, 2, 3 or 4 heteroatoms.
- 6. Agent for cancer therapy and/or treating other instances of cell growth impairment, consisting of or containing one or a plurality of epothilones according to any one of the preceding claims, apart from the usual auxiliary agents.

INTERNATIONAL SEARCH REPORT

Intermediate Application No PCT/EP 03/06066

	·····	101/ 2. 03/ 0000				
A. CLASSII IPC 7	COTD313/00 C07D327/02 C07D417/ A61K31/425 A61P35/00	06 CO7D497/04 CO7D493/04				
According to	International Patent Classification (IPC) or to both national classific	alion and IPC				
B. FIELDS	SEARCHED					
Minimum do IPC 7	cumentation searched (classification system followed by classification ${\tt CO7D-A61K-A61P}$	on symbols)				
Documentat	on searched other than minimum documentation to the extent that \cdot	uch documents are included in the fields searched				
	ata base consulted during the International search (name of data ba 3S Data	se and, where practical, search terms used)				
C. DOCUME	INTS CONSIDERED TO BE RELEVANT					
Category °	Citation of document, with indication, where appropriate, of the rel	evant passages Relevant to dalm No.				
Х	WO 99 02514 A (BRISTOL-MYERS) 21 January 1999 (1999-01-21) page 64; claims 1,3-5	1,3,6				
	•					
Further documents are listed in the continuation of box C. X Patent family members are listed in annex.						
* Special categories of cited documents : "T" later document published after the International filling date						
'A' document defining the general state of the art which is not considered to be of particular relevance 'E' earther document but published on or after the international 'A' document of particular relevance; the claimed invention						
filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another datalon or other special reason (as specified) "Cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone document or particular relevance; the claimed invention cannot be considered to involve an inventive step when the						
"O" document referring to an oral disclosure, use, exhibition or other means combined with one or more other such document is combined with one or more other such document, such combination being obvious to a person skilled in the artificial than the priority date claimed "&" document member of the same patent family						
Date of the actual completion of the International search Date of mailing of the international search						
2	October 2003	14/10/2003				
Name and n	nailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,	Authorized officer				
	Fax: (+31-70) 340-3016	Francois, J				

INTERNATIONAL SEARCH REPORT

Intel const Application No PCT/EP 03/06066

Patent document cited in search report	Publication date		Patent family member(s)	Publication date
WO 9902514 A	21-01-1999	AU	731497 B2	29-03-2001
		AU	7972098 A	08-02-1999
•		BG	104068 A	29-09-2000
•		BR	9810555 A	15-08-2000
		CN	1270589 T	18-10-2000
		EE	200000013 A	15-08-2000
		EP	1019389 A2	19-07-2000
		HU	0103111 A2	29-04-2002
	•	JP	2002512634 T	23-04-2002
		LT	99153 A	B 25-08-2000
		LV	12569 A	20-11-2000
		L۷	12569 B	20-04-2001
		NO	20000076 A	07-01-2000
		NZ	501198 A	28-09-2001
		PL	338003 A1	25-09-2000
		SK	181799 A3	06-08-2001
		TR	200000065 T2	21-11-2000
		ÜS	6605599 B1	12-08-2003
		WO	9902514 A2	21-01-1999
		ŽĀ	9805938 A	10-01-2000